


BioMEDanas
FOR BIOMEDICAL ENGINEERING





BioMEDanas UG (haftungsbeschränkt)
Fanny-Lewald-Ring 165, 21035 Hamburg
Local court Hamburg
Commercial register HRB 171489



Bank details
Postbank NDL Deutsche Bank
BIC: PBNKDEFF
IBAN: DE38 1001 0010 0709 9601 34


CEO
Eng. Anas Musleh
tax number : 44/708/01234
VAT ID No. DE347062075




Straight-15cm
PH 786-105/DWC



Straight-20cm
PH 786-111/DWC



available tip size in mm



available tip size in mm



SINGLE USE ONLY

DISPOSABLE BIPOLAR FORCEPS (WITH ATTACH CABLE)

Straight-8cm
PH 786-101/DWC



Straight-15cm
PH 786-105/DWC



Straight-20cm
PH 786-111/DWC



Straight Point

Name	Code	Size	Tip size (mm)
Straight Forceps	PH 786-101/DWC	8 cm	0.25/ 0.5 / 0.7/ 1.0
Straight Forceps	PH 786-103/DWC	12 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Straight Forceps	PH 786-105/DWC	15 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Straight Forceps	PH 786-107/DWC	16 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Straight Forceps	PH 786-109/DWC	18 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Straight Forceps	PH 786-111/DWC	20 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Straight Forceps	PH 786-113/DWC	22 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Straight Forceps	PH 786-115/DWC	25 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0



Angle Down

Name	Code	Size	Tip size (mm)
Straight A/D	PH 786-104/DWC	12 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Straight A/D	PH 786-106/DWC	15 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Straight A/D	PH 786-108/DWC	16 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Straight A/D	PH 786-110/DWC	18 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Straight A/D	PH 786-112/DWC	20 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Straight A/D	PH 786-114/DWC	22 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Straight A/D	PH 786-116/DWC	25 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0

FOR NONSTICK FORCEPS USE "NS" EXTENSION AT THE END OF ANY REGULAR FORCEPS CODE

DISPOSABLE BIPOLAR FORCEPS (WITH ATTACH CABLE)



SINGLE USE ONLY

Bayonet-16cm
PH 786-124/DWC



Bayonet-20cm
PH 786-130/DWC



Bayonet-25cm
PH 786-136/DWC



Straight Point

Name	Code	Size	Tip size (mm)
Bayonet Forceps	PH 786-121/DWC	12 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Bayonet Forceps	PH 786-124/DWC	16 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Bayonet Forceps	PH 786-127/DWC	18 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Bayonet Forceps	PH 786-130/DWC	20 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Bayonet Forceps	PH 786-133/DWC	22 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Bayonet Forceps	PH 786-136/DWC	25 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0



Angle Down

Name	Code	Size	Tip size (mm)
Bayonet A/D	PH 786-122/DWC	12 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Bayonet A/D	PH 786-125/DWC	16 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Bayonet A/D	PH 786-128/DWC	18 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Bayonet A/D	PH 786-131/DWC	20 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Bayonet A/D	PH 786-134/DWC	22 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Bayonet A/D	PH 786-137/DWC	25 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0



Angle Up

Name	Code	Size	Tip size (mm)
Bayonet A/U	PH 786-123/DWC	12 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Bayonet A/U	PH 786-126/DWC	16 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Bayonet A/U	PH 786-129/DWC	18 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Bayonet A/U	PH 786-132/DWC	20 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Bayonet A/U	PH 786-135/DWC	22 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0
Bayonet A/U	PH 786-138/DWC	25 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0



FOR NONSTICK FORCEPS USE "NS" EXTENSION AT THE END OF ANY REGULAR FORCEPS CODE



DISPOSABLE BIPOLAR FORCEPS (WITH ATTACH CABLE)

DISPOSABLE BIPOLAR FORCEPS (WITH ATTACH CABLE)



Straight Point

Name	Code	Size	Tip size (mm)
Adson Forceps	PH 786-141/DWC	12 cm	0.25/ 0.5/ 0.7/ 1.0/ 1.5/ 2.0
Adson Forceps	PH 786-143/DWC	15 cm	0.25/ 0.5/ 0.7/ 1.0/ 1.5/ 2.0
Cushing Forceps (Gursh)	PH 786-147/DWC	18 cm	0.25/ 0.5/ 0.7/ 1.0/ 1.5/ 2.0
Gerald Forceps	PH 786-145/DWC	18 cm	0.25/ 0.5 / 0.7/ 1.0/ 1.5/ 2.0



Straight Point

Name	Code	Size	Tip size (mm)
Jeweller # 5	PH 786-163/DWC	11.5 cm	0.25/ 0.5/ 0.7/ 1.0
Jeweller # 5	PH 786-151/DWC	11.5 cm	0.25/ 0.5/ 0.7/ 1.0
Jeweller # 7	PH 786-153/DWC	11.5 cm	0.25/ 0.5/ 0.7/ 1.0
McPherson	PH 786-155/DWC	10.2 cm	0.25/ 0.5/ 0.7/ 1.0



SINGLE USE ONLY

DISPOSABLE MONOPOLAR FORCEPS (WITH ATTACH CABLE)



Straight Standard Forcep - 20cm
PH 786-307/DWC



McIndoe - 15cm
PH 786-313/DWC



Gillie (Serrated) - 15cm
PH 786-315/DWC



FOR NONSTICK FORCEPS
USE "NS" EXTENTION AT
THE END OF ANY REGULAR
FORCEPS CODE



Straight Point
Serrated

Name	Code	Size	Tip size (mm)
Straight Standard	PH 786-301/DWC	12 cm	1.0/ 1.5/ 2.0
Straight Standard	PH 786-303/DWC	15 cm	1.0/ 1.5/ 2.0
Straight Standard	PH 786-305/DWC	18 cm	1.0/ 1.5/ 2.0
Straight Standard	PH 786-307/DWC	20 cm	1.0/ 1.5/ 2.0
Straight Standard	PH 786-309/DWC	22 cm	1.0/ 1.5/ 2.0
Straight Standard	PH 786-311/DWC	25 cm	1.0/ 1.5/ 2.0
McIndoe Forcep	PH 786-313/DWC	15 cm	1.0/ 1.5/ 2.0
Gillie (Serrated)	PH 786-315/DWC	15 cm	1.0/ 1.5/ 2.0

DISPOSABLE MONOPOLAR FORCEPS (WITH ATTACH CABLE)



SINGLE USE ONLY



Adson - 15cm
PH 786-319/DWC



Jansen Bayonet - 20cm
PH 786-355/DWC



FOR NONSTICK FORCEPS
USE "NS" EXTENTION AT
THE END OF ANY REGULAR
FORCEPS CODE



Straight Point
Serrated

Name	Code	Size	Tip Size (mm)
Adson	PH 786-317/DWC	12 cm	1.0/ 1.5/ 2.0
Adson	PH 786-319/DWC	15 cm	1.0/ 1.5/ 2.0
Jansen Bayonet	PH 786-355/DWC	16 cm	1.0/ 1.5/ 2.0
Jansen Bayonet	PH 786-357/DWC	18 cm	1.0/ 1.5/ 2.0
Jansen Bayonet	PH 786-359/DWC	20 cm	1.0/ 1.5/ 2.0

ELECTRO SURGICAL INSTRUMENTS

CE
0120



BIPOLAR FORCEPS
NON STICK

100% SILVER ALLOY
100% EPOXY FREE
100% WATERPROOF

THE UNIT OF DESIGN & MANUFACTURING
OF ELECTRO SURGICAL INSTRUMENTS.

Profile & Contents


We offer
European & American. Reusable & disposable.
Bipolar Forceps, Mono polar Forceps,
Non-Stick forceps, Irrigation forceps,
Hand switch forceps, Silicon cables,
Laprosopic hooks, ESU pencils,
Electrodes and Gynecology instruments.

All our instruments bear the CE 0120
marking in conformity with the
European directive 93/42/EEC.
Sterile and non sterile
packed under clean room condition
ISO-class-8~fs 209 class 100,000.

Our new flamingo Design series
exclusively available.

Customers with
new design and ideas
or custom type instruments
can make contact with us.
(info@pheasantsurgical.com)





**THANKS FOR
WATCHING**

